

- 1) If there is more pain MU than LIV , then (4) med. Clockwise. T1/T2 Raman is to be given in the New Star Modified trt. and if there is more pain in the LIV then Raman is not to be given.
- 2) Toe-Fingers given softly without causing pain to the patient is more effective
- 3) (½) KU 20 seconds is antiseptic, stimulates production of granulocytes which function in the blood and monocytes which function in tissues.
- 4) Two mild trts. of Acid/New Gene trt. are more effective than one strong trt.
- 5) In paralysis, (I) M.HEP 5 mins. (II) M.HEP/G.HEP + SPEECH trt. gives better results.
- 6) New trt. for relieving extremely painful condition in PAN has been discovered.
- 7) A better line of trt. for Cancer has been developed.
- 8) GAL is not to be given in disease of inflammation.

- 1) **Oxygen treatment** increases the supply of oxygen to all the body cells including the villi of the intestine which helps in the absorption of nutrients and gives relief from many ailments. 2 times (8) CH along with (6) Stretch, one at the start and the other at the end, is given in cases where Plasmin/Heparin trt. is prescribed
- 2) **Folded Legs treatment** is an Inflammation trt. and clear the Kidneys, Bladder and Uterus.
- 3) **Toe Fingers and New Nabhi set** treatments clear Abdominal problems.
- 4) B-12 deficiency is diagnosed as pain at the upper end of the left femur.  
**B-12 Treatment** is now given as (8) Left Parkhoo only. It corrects related anemia and gives relief from full left side body pains.
- 5) Folic Acid deficiency is diagnosed as pain at the upper end of the right femur.  
**Folic acid treatment** is now given as (8) Right Parkhoo only. It corrects related anemia, gives relief from full right side body pains and also paralysis due to Thiamine deficiency.
- 6) **Mesencephalon treatments :-**
  - A) (4) Mesencephalon stimulates part of the Mid-brain for secretion of Norepinephrine and calms down the Hyperactive condition of the brain.
  - B) (12) Mesencephalon has been effective in correcting the squint in the eye from birth.
- 7) **Basal Ganglion treatment** stimulates the group of nerve cells at the base of the brain and the treatment has been found effective in patients with Ataxia who suffer from defective muscular co-ordination and are unstable in their walk, going to and fro while walking.  
NT Formula: (½) KU - 40 sec for Pineal gland  
(15) Medulla for Acetylcholine  
(6) Swt. for Norepinephrine  
(8) Medulla for Serotonin  
(3) Gal & (7) Liv which produces blood during fetus stage.
- 8) **Different doses of Pancreas** Stimulations produce different biochemicals
  - a) (2) Pan. produces hormone Somatostatin. 6 trts. with a gap of 90 sec. given every 2 hours gives relief to cancer patients
  - b) (4) Pan produces Glucagon hormone which raises the blood sugar ,therefore not to be given in Diabetes but helps in Hypoglycemia
  - c) (8) Pan produces enzymes and Sodium Bi-Carbonate.
  - d) (10) Pan produces Insulin which helps in sugar metabolism

**1) UDF treatment :**

(undigested food present in the stools) is given in Inflammation and infection.

It increases the Hydrochloric acid of the stomach which helps in formation of Pepsin to digest the proteins and also kill all the pathogens like bacteria and virus in the stomach .It gives relief from many ailments of stomach, colitis, Cervical Spondylitis, Lumbar spondylosis, Menstrual problems, fits in CP. children, Parkinson, MS. Etc.

Formula : (15) Medulla--90 seconds gap  
(½) Ku-20 seconds --90 seconds gap  
(½) Ku-20 seconds--90 seconds  
(10) Medulla (8) Pan (1) Gas only-6 points

**2) One Point Liver treatment :**

6 treatments with 1 minute gap between each trt. every hours for all liver problems like Cirrhosis, Hepatitis, Spleen enlargement, etc.

**3) Half kundali treatment**

A) I --- (½) Ku 20 seconds 4 treatments with 90 seconds gap between each treatment after 5 minutes

II --- (½) Ku 20 seconds 4 treatments with 90 seconds gap between each treatment  
The treatment is for stomach disorders and Fits.

B) I --- (½) Ku 40 seconds 4 times with 90 seconds gap between each treatment after 5 minutes

II --- (½) Ku 40 seconds 4 times with 90 seconds gap between each treatment  
This treatment is for Nervous system disorders like Paralysis, Mental retardation, Parkinson, Ataxia etc.

**4) Left ovary treatment :**

(20) TF Lt. Ov., (6) NNS Lt. Ov. (1) Lt. Ov

3 treatments with a gap of 90 seconds between each treatment.

The Treatment has been found to lower the Creatinine level in Urine in nephrotic syndrome, Diabetes. Multiple Sclerosis and left side body pains

1) For Ankylosing Spondylitis, Paralysis, Angina, Heart disorders, Bamboo Spine, Arthritis, stiffness developed after accident is also relieved. It removes Calcification from the wrong places, according to Sri Nilesh Singhanian

I. (4) Para  
II. A Hep.

2) For High Cholesterol, Heart disorders., Hematoma, Arthritis, Kidney disorders and Paralysis, to make Thymus Hypo and reduce calcification from the clots with Lt. Ov.

I. 20 TF Lt. Ov. 6 NNS Lt.ov. (1) Lt. Ov.  
II. (10) Pan (2) Thrd  
III. (4) Para (1pt.) Liv  
IV. Mild acid trt., if Bp. is not high (8)Pan (1) Gal. (3) Mu (1) Acid pt (4) Ch only  
V. A Hep

3) For Fits

(8) Medulla for Serotonin, it is also found, to make Pancreas hypo and has been found effective even in those who had been suffering from a long time.

4) For Vitilago (Leucoderma)

- I. 20 TF Gal 6 NNS Gal (1) Gal
- II. ----Do---
- III. ----Do---
- IV. ----Do---

5) For all stomach problems, back pain, Hernia in pelvic region, Tilt, Sciatica pain and Menstrual problems

- I. (1) Gas only (6pts) (1) Gas I (6pts)
- II. (1) Gal (1) Spl. (1) Liv.(3pts) (1) Mu (3pts.) (1) Rt.ov (1) Lt. Ov.
- III. (3) Pan (1) WD (2) Ch. only (5) Round arrow

---

1) For Abdominal pains and pains of back, knees & other joints

- I (6) Big Toe Gas -for 12 seconds
- II Organ Clearance

2) For Writer's Cramps, Autism & Parkinson disorders

- (15) Medulla - for acetylene choline
- (4) Mesencephalon - for norepinephrine from the brain
- (6) Swt - for norepinephrine from ADR Medulla for peripheral nerves
- (8) Medulla - for serotonin

3) For Myasthenia Gravis

- I & II (15) Medulla - for Acetyl choline

4) For Chorea with pain in Mu<sup>o</sup>

- I (4) Medulla Clockwise T1/T2, Raman trt.
- II New Star Modified trt.

5) For severe Constipation

- I (20) Toe finger & (6) NNS --Lt Gas, Rt Gas, Lt Pan, Rt Pan, Gal, Liver, Spleen, Mu, Lt. Ov.
- II (1) Gas only--6 points, (1) Gas I--6 points (1) Liv--3 points (1) Gal--3 points  
(2) Spl. (2) Mu (2) Lt.Ov.

6) For Cancer

From 1<sup>st</sup> to 4<sup>th</sup> day →

- A) 6 treatments of (2) Pan with a gap of 90 seconds between 2 treatments  
Repeat every 2 hours for 24 hours.

From 5<sup>th</sup> to 8<sup>th</sup> day →

- A) 6 treatments of (2) Pan with a gap of 90 seconds between 2 treatments  
Repeat every 2 hours for 12 hours.
- B) 6 treatments of (1) Gas only with a gap of 90 seconds between 2 treatments  
Repeat every 2 hours for the next 12 hours.

From 9<sup>th</sup> to 12<sup>th</sup> day →

C) 6 treatments of (1) Thymus (1) Lymph (1) Spleen with a gap of 90 seconds

From 13<sup>th</sup> day onwards →

First 8 hours A) treatment

Next 8 hours B) treatment

Next 8 hours C) treatment

- 1) *New Abdomen treatment* to clear problems in Stomach, Intestine, Lungs and Kidneys
  - I. (3) Old Nabhi Set, (6) Toe fingers, (3) New Nabhi set
  - II. (1) Gas only - 6 points
  - III. (1) Gal. (1) Spl. (1) Liv - 3 points (1) Mu - 3 points
  - IV. (3) Pan (1) Gal (2) Liv - 3 points (1) gasl - 6 points
  - V. (1) Liv (1) Mu (2) Ch. only (5) Round arrow
  - VI. (3) Pan (1) Wd (2) Ch. Only, (5) Round Arrow
- 2) *Treatment for hurt/fracture where Thymus cannot be given*
  - I. (1) Gal (4) Liv. (8) Ch. only ---x 2 times
  - II. C. Hep (8) Ch only (8) Pan (7) Liv. (8) Ch. only
- 3) *New Pelvic Point introduced by Shri Sunderajanji from Pondicherry for treating Back pain.* It was modified by Dr. Lajpatrai Mehra to also treat Tilt, Knee pain, Thighs-legs pain & Slip disc. Shri Prit Palji showed still more effective method, followed at Punjab, of continuously applying pressure for 90 seconds at the Pelvic point.

#### **For Joints' pain-- Arthritis**

##### ***1<sup>st</sup> treatment***

- I. (5) necklace
- II. (3) Raman → if there is pain in third fingers
- III. (2) Right Parkhoo -- X 6 times → if there is pain in folic acid point
- IV. (2) Left Parkhoo -- X 6 times → if there is pain in the B 12 point

##### ***2<sup>nd</sup> treatment***

- (5) necklace (3) Raman  
(10) Organ Clearance  
(10) Organ Clearance ---do---  
(10) Sacral clearance  
(10) Sacral clearance ---do----

##### ***3<sup>rd</sup> treatment***

After that UDF or Abdomen or A. Hep according to the needs of the patient may be given

#### ***\*An interesting information***

*A patient suffering from Rheumatoid Arthritis was not getting relief from pain even after many days of Neurotherapy treatments. On enquiry, she told Guruji that she kept her windows closed at night. Guruji told her to keep the windows open at night. Then she started getting relief with Neurotherapy treatments. This can be explained that she was getting less oxygen at night, which led to accumulation of carbon dioxide in the body leading to acidity and pains.*

1.) Round Abdoman Normal Trt : Abdoman Pain, Back Pain, Knee Pain, Arthritis, Tilt

- I. (20) Tf "Gas : Gas I : Pan : Pan : Rt Ov : Liv : Gal : Spl : Mu : Lt Ov"
- (6) Nns "Gas : Gas I : Pan : Pan : Rt Ov : Liv : Gal : Spl : Mu : Lt Ov"
- II. (1) Gas Only 6 Pts : (1) Gas I 6 Pts (8) Pan (1) Pt. Rt Ov (1) Pt. Liv  
(1) Pt. Gal (1) Pt. Spl (1) Pt. Mu (1) Pt. Lt. Ov (4) Ch Only X 3 Trts


2.) New UDF Trt : Any infection or inflammation, abdomen problems, arthritis, knee pain, cervical pain, UDF

- I. (3) Raman Trts
- II. (2) Rt. Parkhoo (2) Lt. Parkhoo
- III. (½) Ku 20 Sec. X 6 Trts
- IV. (1) Gas Only 6 Pts
- V. (8) Pan (1) Gal (2) Liv 3 Pts (1) Gas I 6 Pts


3.) Treatment for Increase oxygen, blood clots, paralysis, coma patients

- I. (½) Ku 20 Sec. X 2 Trts + (2) Thrd
- II. P. Hep : (8) Pan (7) Liv (8) Ch Only
- III. P. Hep : (8) Pan (7) Liv (8) Ch Only

4.) Organ Clearance for activating 31 pairs of nerves & related organs



5.) Sacral Clearance for activating Sacral nerves & related organs



6.) Diabetes (Patient on Insulin)

- I. (4) Thrd
- II. (2) Thrd
- III. P. Hep.
- IV. (4) Thrd
- V. (2) Thrd
- VI. P.Hep

## 1) Immunity Treatment

- I. (3) Necklace
- II. (3) Raman Trt
- III. (2) Rt. Parkhoo (2) Lt. Parkhoo
- IV. ( ½ ) KU 20 sec. X 2 Trts.
- V. ( ½ ) KU 6 sec. X 2 Trts.

\*If there is **UDF**, then add

- VI. (1) Gas only 6Pts.
- VII. (8) Pan (1) Gal 3 Pts. (2) Liv 3 Pts. (1) Gas I 6 Pts.

\*If there is **CLOT-Paralysis**, then add

- VI. P. Hep

\*If there are body pains then add  
VI. TF and NNS

\*If there is **Fracture or hurt** then add  
VI. (1) gall (4) Liv (8) TH. CH

\*If there is **Osteoporosis** then add  
VI. 1,25 DCC

### **2) For Parkinson -- Dopamine**

(20) Med. (1) Gas --6 pts. (1) gas I—6 pts (30) Round arrow X 2 trts.

### **3) For Swelling**

- I. (15) Med. Acetyecholine
- II. (3) Swt. Norepinephrine

### **4) For Asthma**

(15) Med. X 3trts.

### **5) for Double Vision**

(3) Med. Cranial No. 3

- 
- 1) For UDF/ Abdominal pains:- FAST Trt. Gas, Gas I, Gal, Spl., Liv., Mu.,
  - 2) For Accidental Injury as stated by Sri Sarvananji :- (20)TF 'Gal : Liv.'x 3 Trts.
  - 3) For FITS:
    - (12) Med. x2 for Hippocampus
    - (20) Med. x2 for Dopamine
    - (8) Med. x2 for Serotonin
    - (2) Med. x 2 for Gaba,
    - Gas I-6 pts. (20) . x2 for Serotonin
    - (1) Pit. For sugar,(2) Para for Calcium,
    - (2) Gal.,(7) Liv. (8) Lt. Parkhoo for Vit. B12
    - (3) Adr. for Sodium
- 




- 1) Dorsal – for M.D. – for pons (lower part of brain)
- 2) Subclavian vein-lymph trt. – for full body pain (if pain in both 4th finger)
- 3) Right Adrenal Medulla trt. (6) Rt. Swt. Releases Alkali and causes constriction  
Left Adrenal Medulla trt. (6) Lt. Swt. Releases Acid and causes Dilation
- 4) For the Heart Problem - (10) Left Medulla  
For palpitation - (10) Right Medulla
- 5) For Lungs & breathing problems – (15) Medulla (5) Medulla x 3 Trts.
- 6) For Cranial Nerves –
  - (1) Medulla – Smell
  - (2) Medulla – Vision (Optic Nerve)
  - (3) Medulla – Eye movement, Double vision, squint
  - (4) Medulla – Eye movement, Reducing Saliva, Heart Problem – Heart Enlargement
  - (5) Medulla – Facial sensation, for lung's cough & cold, breathing
  - (6) Medulla – Lateral eye movement, squint, hypo thalamus

- (7) Medulla – Facial movement, muscles of face, numbness of face, Bell's palsy
- (8) Medulla – Hearing and balance, Jaw movement
- (9) Medulla – Throat function
- (10) Medulla – Swallowing, Heart Rate, Abdomen Organ
- (11) Medulla – Neck and Upper back movement, frozen shoulder
- (12) Medulla – Tongue movement

- 1) For Shoulder -
  - i. (11) Rt. Medulla – for dislocation of shoulders
  - ii. (11) Lt. Medulla – for frozen shoulders
- 2) For Joint Pain -
  - i. Subclavian
  - ii. Fast – Gas, Gas I, Gal, Spl, Liv, Mu W.D.
  - iii. New Star Modified  
If too much pain then include “MukhaDhauti”
- 3) For Ankylosing Spondylosis -
  - i. (½) KU-20 sec. x 12 trt.
  - ii. Fast – Gas, Gas I, Gal, Spl, Liv, Mu, W.D.  
Patients bent forward have become straight to certain extent
- 4) For Lack of Breast Milk -
  - i. THRD “P” (Prolactin)
  - ii. Para (Oxytocin)  
Breast's Milk will increase within a day
- 5) For Eye Problems – (2) Medulla alongwith the following :-
  - i. Rt. Parkhoo (Folic acid)
  - ii. Rt. Parkhoo (Thaimin)
  - iii. Lt. Parkhoo (B<sub>12</sub>)
  - iv. Lt. Parkhoo (Naicin)

Check the above and give for various diseases and at the end give Fast trt.

Oxygen- hormonal treatment :-


- I. Oxygen – (2)  (1)  (3) organ clearance (5) 
- II. (1) Liv° (1) Mu°
- III. (2) Ch only
- IV. (3) Folded legs (6) TF (3) NNS
- V. (2) Raman x 1 trt
- VI. (2) Folic
- VII. (2) Thia
- VIII. (2) B<sub>12</sub>
- IX. (2) Nia
- X. Fast (10) Medulla Gas : Gas I : Gal : Spl : Liv : Mu : W.D.
- XI. (1) Pit (1) Thrd (1) Adr (½) Ku – 20 secs
- XII. Ajay Normal (8) Pan (1) Gal (2) Liv 3 point (1) Gas I 6 point  
For Back Pain, Mental Retardation, Abdomen disorder, M.S , M.N, Myopathy, Neuropathy

New Eyes Ghisai treatment

New Gal Treatment

- I. Fast – Gas : Gas I : Gal : Spl : Liv : Mu : W.D.
- II. Ajay Normal (8) pan (1) Gal (2) Liv 3 point (1) gas I 6 point
- III. (6) TF Gal (1)pt. Gal X 6 trt
- IV. (15) Medulla
- V. Chole Treatment: (10) Medulla (6) Gas I 3point (3) Gal.  
For Any Skin problem, Antiseptic, Severe Constipation, Damaged Ligament and Cartilages, Hyperness, Autism etc (If mother had any skin problem during pregnancy, then give this treatment to the child.)

**1. New Star Acid treatment :-**


(6) W.D. (8) Ch. Only (20) 

For Osteo-Arthritis, Any Joints Pain, Back Pain, Cervical/Neck Pain

This should be '///given only to those patients who have pain in 4<sup>th</sup> Lt. Finger.

After 1 Minute ask the patient to do (10) Mukha dhouti – Repeat it in intervals of one minute till pain in 4<sup>th</sup> Lt. Finger goes away.

**2. New Star Alkali treatment :-**

(6) Gal (½) Ku – 20 Sec. (20) 

For Osteo-Arthritis, Any Joints Pain, Back Pain, Cervical/Neck Pain

This should be given only to those patients who have pain in 4<sup>th</sup> Rt. Finger.

If there is pain in 4<sup>th</sup> fingers of both hands, then first give New Star Acid Trt. and Mukhdhouthi till there is no pain in 4<sup>th</sup> Lt. Finger and after 2 minutes give New Star Alkali Trt.

If the pain is only in Mu or Acid or 4<sup>th</sup> left finger then Lt. Ch. Only will be more effective.

(8) Th. Ch. in “New Star Acid Trt” will be more effective to the Osteoporosis patient

**3. UDF Treatment (one more version : Ref. Newsletters Vol 5, 10 & 12)**

- i. (15) Medulla
- ii. (½) Ku – 20 Sec. X 4 trt.
- iii. (2) Rt. Parkhoo (2) Lt. Parkhoo
- iv. Fast – (10) Medulla : Gas : Gas I : Gal : Spl : Liv : Mu : W.D.
- v. Ajay Normal (8) pan (1) Gal (2) Liv-3 points (1) gas I-6 points

**4. HCL Treatment – (Acetylcholine+ Histamine + Gastrin)**

- i. (15) Medulla
- ii. (½) Ku – 6 Sec. X 1 trt.  
(1)Pt. Gal X 1 trt.
- iii. Lt. Parkhoo B<sup>12</sup> 2 : 2
- iv. Fast – (10) Medulla : Gas : Gas I : Gal : Spl : Liv : Mu : W.D.
- v. Ajay Normal (8) pan (1) Gal (2) Liv 3 point (1) gas I 6 point



## 5. Infection Inflammation Treatment

- I. (½) Ku – 13 Sec. X 6 trt.
- II. (1) Lymph (2) Th. Ch. (1) Pt. Spl (6) Adr X 6 Trts.

Note : UDF, HCl and Infection inflammation treatments when given on the same day are excellent for the following : Abdominal disorders, Bamboo spine.

## 6. Additional treatment For Fits

Instruct the patient to take blood test to check the level of – Sodium, Potassium, Calcium, Sugar, Ammonia and Chloride.

If the Ammonia or Chloride is on higher side – Trt. is as follows

- I. (1) Gas Only 6 pt. (1) Gas I 6 pt. X 3 trts.
- II. (6) Tf. "Liv." (1) pt. Liv. (1) Liv (1) Mu x 6 treatments

## 7. Treatment For Low count of Platelets, S.L.E., Scleroderma, Inflammation, Auto Immune Disorder or any Genetic disorder, This is also known as Pinky Trt.

- I. Rt. Parkhoo FA 2:4:4
- II. Rt. Parkhoo Thia 2:4:4
- III. Lt. Parkhoo B<sup>12</sup> 2:4:4
- IV. Lt. Parkhoo Nia 2:4:4
- V. (½) Ku – 20 Sec. X 4 trts.
- VI. (1) Liv (1) Mu X 3 trts.
- VII. (1) Gas Only 6 pt.
- VIII. (1) Pt. Gal (2) Liv (1) Mu
- IX. (1) Thrd (1) Pan (1) Pt. Gal (2) Liv (1) Pt. Gas I
- X. (6) Adr (6) Swt

This set should be repeated 3 times (ie. 10 Steps X 3 = One whole Trt).





In severe cases, the whole trt. should be given 3 times a day.

ie. 10 Steps X 3 to be repeated in morning, afternoon and late evening.

## 8. Treatment For Pregnancy

- I. (3) Raman Trt. X 6 Trts.
- II. (2) Rt. Parkhoo (2) Lt. Parkhoo
- III. (½) Ku – 20 Sec. X 4 trt.
- IV. Fast – (10) Medulla : Gas : Gas I : Gal : Spl : Liv : Mu : W.D.
- V. Ajay Normal (8) pan (1) Gal (2) Liv 3 point (1) gas I 6 point
- VI. (6) Medulla (4) Thrd 'P' (7) Liv (2) Thrd (4) Adr

After 15 Minutes

- I. Oxygen Trt. – (8) Ch. Only (1)  $\leftarrow \rightarrow$  (6)  (3)  (20)  (6)  $\leftarrow \rightarrow$  (3) 
- II. (6) Medulla (4) Thrd 'P' (7) Liv (2) Thrd (4) Adr

The above set of treatment can be given to the patient who is not getting pregnant due to any reason.

### **1. For Pains after Chikungunya**

All 150 patients in the 2 days' NT camp at Aagaar (M.P).were given the trt. for and all reported 90% relief

- I. Left Calf Muscle ghisai x 1 trt. + Mukhadhouthi (till 4<sup>th</sup> fingers pain remove)
- II. (1) Pt. Liv x 3 trt.
- III. (1) Liv 3 Pt. x 3 trt.
- IV. (1) Liv 6 Pt. X 3 trt.
- V. Fast: Gas only : Gasl : Gal : Spl : Liv : Mu : Wd
- VI. Ajay Normal : (8) Pan (1) Gal (2) Liv 3Pt. (1) Gas I 6 Pt.

### **2. For Cataract, Osteophytes & Excess Calcium deposition**

- I. (4) Para (7)Liv (8)Lt. Ch. only. (6) Lt. Adr
- II. Fast: Gas only : Gasl : Gal : Spl : Liv : Mu : Wd
- III. Ajay Normal : (8)Pan (1) Gal (2) Liv 3Pt. (1) Gas I 6 Pt.

### **3. For Paralysis, Asthma & Haematoma**

PT Hep. (8) Pan (7) Liv (8) Th.Ch only

### **4. For Burning In Urine and whole body due to constriction of Urinary Bladder**

(15) Lt.Medulla (6) Lt. Swt. X 3trt. Gave relief in 1 trt in Madhya Pradesh

---

### **1. For Removing Calcium from the Bone**

- I. (4) Para (7) Liv (8) Ch. Only (10) Adr
- II. P.T.Hep.: (8) Pan (7) Liv (8) Th.+Ch.

### **2. For Removing Calcium from the Muscles**

- I. (4) Para (8) Ch. Only (10) Adr
- II. P.T.Hep.: (8) Pan (7) Liv (8) Th.+Ch.

- I. Complete New Nabhi Set  
Gal: Liv: Pan: Pan: Gas: Gas: Mu: Rt. Ov.: Lt. Ov.

### **3. For Body Pain, Giddiness, Severe Khansi**

- I. Subclavian Trt. + Mukhdhouthi
- II. (20) TF 'Pan' Tips X 2 Trts. (till Pain Remove)
- III. (2) Pan X 2 Trts

### **4. For Eyes, Headache, Giddiness, Eyes Number**

Petals Trt - Lt. To Rt.

---

### **New treatments:**

- 1) Complete New Nabhi Set  
Excellent treatment for setting the abdomen completely.
- 2) Endorphin (Sensory nerve)  
For full body pain.
- 3) (3) TF 'Gal : Liv' x 6 treatments

- 4) HCl treatment : Modification for patients of constipation, piles etc.:  
Ajay Normal is to be modified as : (8) Pan (1) Gal (2) Liv – 3 points (6) Gas 'I' – 3 points
- 5) For C P children :  
I. Right Calf muscle ghisai  
II. (1) Pt. Gal (1) Pt. Liv (1) Pt. Rt.Ov. (1) Pt. Liv (2) Ch. Only x 6 trts
- 6) F. Heparin : (18) Pan (7) Liv (8) Ch. Only  
Very powerful for dissolving clots
- 

1. Feather Touch - an excellent remedy for any type of pain
2. The following treatment is useful for severe Jaundice (Shruti Chavan). It is to be given to those patients having excess alkali ( Liv<sup>0+++</sup> )
- I. CNNS (Complete NNS) : Pan : Pan : Gal : Liv : Gas : Gas : Gal : Liv  
x 3 treatments
- II. (3) TF + Tips ' Pan : Pan : Gal : Liv : Gas : Gas : Gal : Liv '  
x 3 treatments
- III. (1) Pan (1Pt) Gal (1Pt) Liv (1Pt) Gas Only (1Pt) Gal (1Pt) Liv  
x 3 treatments

Three treatments of above were given *in one day*. SGPT came down from 2200 to 1184 and alkaline phosphates came down from 650 to 250 IN A SINGLE DAY! Vomiting and fever also relieved immediately.

Useful for MR children, CP, and for fits too.

The above treatment reduces alkali and increases acid drastically. So in case the pt develops pain in Mu , give NAN (Normal - Ajay Normal ), in place of III.

3. Ptyalin treatment
4. New Injury treatment
- I. (3) TF ' Gal Liv ' x 3 treatments
- II. (1) Pan (1) Gal (2) Liv – 3 points (4) Ch. Only
- III. (8) Pan (1) Gal (2) Liv – 3 points (4) Th.Ch
- IV. (18) Pan (1) Gal (2) Liv – 3 points (8) Th.Ch
5. F. Heparin (18) Pan (7) Liv (8) Ch. Only 'F = fibrinolysin'.  
For opening clots for paralytics, or for clearing dead tissue.
6. FA Heparin (18) Pan (7) Liv (8) Ch. Only (2)  $\overline{\text{F}}$  (4) Ch. Only  
Add (6) Adr if necessary.
7. Treatment for balancing acid alkali - good for reducing alkali in CP and MR children  
(3) Spl (7) Mu (4)  $\overline{\text{F}}$  (alkali) (4) Ch. Only

8. Treatment for Myxoma (Heart tumor, mitral valve problem, degenerative connective tissue).
  - I. Feather Touch
  - II. UDF
  - III. HCl
  - IV. Vater + New Gall treatment
  - V. (1) Thrd 'P'

(Patient is our therapist in Bandra Clinic - Shri. Prashant Shendge and now he is totally cured within one month of above treatment.  
The 2-D echo report now reads: Normal functioning of heart.
9. (1) Thrd 'P' - for regeneration; Useful for all muscle disorders such as MD, MND, MS, Myopathy, Neuropathy etc.
10. (1) Para - for degeneration - useful for cysts, fibroids, all tumours, cancerous growths etc

**For Anti Calcification, Tumor, Cyst, Fibroid, Any Type Growth**

- I. (4) Para (7) Liv (8) Ch. Only (10) Adr
- II. F. Hep.: (18) Pan (7) Liv (8) Ch.Only
- III. Anti F. Hep.: (2) Pan (7) Liv (8) Ch.Only

**Common Cold, Asthma, Any Lungs Disease**

- I. Oxygen Trt. – (8) Ch. Only (6)  $\leftarrow \rightarrow$  (6)  $\swarrow \nearrow$  (3)  $\uparrow \downarrow$  (20)  $\updownarrow \updownarrow \updownarrow \updownarrow$  (6)  $\swarrow \nearrow$  (3)  $\uparrow \downarrow$  (6)  $\leftarrow \rightarrow$
- II. (5) Medulla
- III. (15) Medulla
- IV. (5) Medulla

**If Heart rate is high, this trt. Reduces the Heart Rate and Increases oxygen in the Body (Testated)**

- I. Oxygen Trt. – (8) Ch. Only (6)  $\leftarrow \rightarrow$  (6)  $\swarrow \nearrow$  (3)  $\uparrow \downarrow$  (20)  $\updownarrow \updownarrow \updownarrow \updownarrow$  (6)  $\swarrow \nearrow$  (3)  $\uparrow \downarrow$  (6)  $\leftarrow \rightarrow$  X 2 trts.
- II. (1) Pt. Liv
- III. (5) Medulla
- IV. (15) Medulla
- V. (5) Medulla

**1) New CNNS - Gal Liv + New CNNS Back**

Sets the abdomen completely, including relief from body pains.

**2) Abdomen Clearance**

For any problem in the abdominal organs

**3) (7) Liv (4) Ch. Only - for generating growth of muscles and bone. Also useful for all sorts of pains**

**4) For inhibiting body pains -**

- I (6) Medulla - for hypothalamus to produce endorphins
- II (8) Medulla - serotonin to inhibit the sensory nerves for pain
- III (1) Endorphin - Only Dorsal point
- IV (1) Thrd 'P' - to convert degeneration to regeneration

The above is useful to bring freedom from all sorts of pains:

**1) New UDF – changed**

- |   |   |
|---|---|
| I. Oxygen   | II. P. Heparin (8) Pan (7) Liv (8) Ch. Only |
| III. (1) Liv (1) Mu (2) Ch. Only (5)  |   |
| After two minutes   |   |
| IV. (3) Raman x 1 treatment.  |   |
| V. (1) Subclavian + a;r} cl;n; + m/Y o[t}                                   |   |
| VI. (3) Ptyalin   | VII. (15) Medulla                           |
| VIII. (½) Ku – 20 secs x 2 treatments                                       |   |
| IX. Folic 2:4:4   | X. Thia 2:4:4                               |
| XI. B <sub>12</sub> 2:4:4   | XII. Nia 2:4:4                              |
| XIII. (10) Medulla (1)Gas Only – 6 points                                   |   |
| XIV. (1) Gal (1) Spl (1) Liv – 3 points (1) Mu – 3 points                   |   |
| XV. Ajay Normal (8) Pan (1) Gal (2) Liv – 3 points (4) Gas ‘ I ’ – 6 points |   |

**2) Complement System**

- |   |   |   |                             |   |            |
|---|---|---|-----------------------------|---|------------|
| I. Endorphin  | -                                       | for pain                                | II. Ptyalin                 | - | for saliva |
| III. (3) Raman  | -                                       | for peritoneum                          |                             |   |            |
| IV. Subclavian  | -                                       | for cleaning lymph channel              |                             |   |            |
| + m/Y o[t}  | -                                       | for releasing carbonic acid from joints |                             |   |            |
| V. (1) Thymus   |   |   | VI. (1) Lymph               |   |            |
| VII. (1) Ton ‘T’  | -(increases immunity)                   |   |                             |   |            |
| VIII. (½) Ku – 20 secs  | -                                       | neutrophils                             |                             |   |            |
| IX. (½) Ku – 13 secs  | -                                       | eosinophils                             |                             |   |            |
| X. (½) Ku – 6 secs  | -                                       | basophils                               |                             |   |            |
| XI. (½) Ku – 3 secs   | -                                       | mast cells                              |                             |   |            |
| the above four are useful for both infection and inflammation |   |   |                             |   |            |
| XII. New CNNS ‘Gal - Liv’                                     | x 2 treatments                          | -                                       | for infection and digestion |   |            |
| XIII. CNNS - Pan:   | Pan : Gal : Liv : Gas : Gas : Gal : Liv |   |                             |   |            |
| XIV. (6) Adr  | -                                       | for inflammation                        |                             |   |            |
- New UDF followed by Complement System is an excellent remedy for almost all ailments. In case of auto immune disorders, avoid IV, V and VI

**3)** Sciatica Setting – for all types of back pain and knee pain.

**4)** Abdomen Clearance treatment – for setting the abdomen entirely.

**A** Abdomen setting (as demonstrated by Guruji on 26th Jan. 2009)

**B** Neutral treatment - given below: All points for 6 secs. - On One Point Only.

I. (1 Pt) Gal (1 Pt) Spl (1 Pt) Liv (1 Pt) Mu (1 Pt) Rt.Ov. (1 Pt) Lt.Ov

II. (1 Pt) Gal (1 Pt) Spl (1 Pt) Liv (1 Pt) Mu (1 Pt) WD

I & II x 3 treatments

**Technique :** First give treatment I on the first point only, then give one minute rest, then give treatment II also on the first point. Then wait for one minute. Next repeat BOTH the treatments as above, but on the second point. Then wait for one minute and repeat BOTH treatments as above, but on the third point.

Next give 5 minutes gap. Then give the following treatment :-

- C** I (15) Medulla x 3 treatments Organ clearance  
II (½) Ku – 20 secs x 2 treatments  
III (½) Ku – 13 secs x 2 treatments  
IV (½) Ku – 6 secs x 2 treatments  
V (15) Medulla x 3 treatments Organ clearance

The above treatment is useful in all types of stomach disorders, stomach pain, vomiting, and also for any type of infection or inflammation.

### **New use of (1) Thrd 'P'**

All therapists are familiar with the use of the point Thrd 'P' for stimulating the hormones of the anterior pituitary gland. Now Guruji has bifurcated a few of its functions, by adding a new treatment called (1) Thrd 'P' – 9 secs, in which pressure is given at each point for 9 secs. in place of the customary 6 secs. which was given earlier.

Guruji explains the difference in functions as follows –

- (1) Thrd 'P' – 6 secs - to stimulate trophoblasts through GH.  
(1) Thrd 'P' – 9 secs - to stimulate osteoblasts. Useful for degenerative disorders, pains due to lumbar or cervical spondylosis etc. Add Organ clearance & Standing point or Neck ghisai at the end of the treatment as required.

### **New Treatment for Diabetes / high cholesterol / triglycerides / gangrene etc.**

- I New CNNS "Gal - Liv"  
II (3) Gal Spl. (7) Liv (5) Mu (1) Rt.Ov. (3) Lt.Ov.  
III (4) Thrd 30 secs gap (2) Thrd plus T8 ghisai  
IV (8) Pan (1) Gal (3) Mu<sup>0</sup> (1) acid (4) Ch. Only ADR.  
V (4) Thrd 30 secs gap (2) Thrd  
VI (8) Pan (6) WD (8) Ch. Only (20) ↑ | ↓ (L1-L5)

The above combination has been devised by Kamlesh didi in her clinic at Ville Parle and it was found very effective, both in reducing sugar as well as in restoring blood circulation, lowering cholesterol, triglycerides etc. All the ten patients, to whom this treatment was administered, were found to benefit from this treatment.

Subsequently, Guruji gave this treatment to a patient in Bandra, who had gangrene in several toes which was in such an advanced condition that doctors had decided to amputate the entire area. But after taking the above treatment, WITHIN ONE SINGLE DAY, his sugar level came down drastically. And OVERNIGHT, the black colour of the gangrenous area started changed from dark black to light black. Within the next three days, it changed further; also the infection had decreased substantially that the doctors decided to wait and watch. **Thus the amputation has been avoided.**

In appreciation of this treatment Guruji presented Kamlesh didi with Rs. 20/-

If there is any pus or wound which is not getting healed for a long time, you may also give Oxygen treatment and Vater formula + New Gal formula.

**Vitamin formation.** This is a new technique devised by Guruji after his visit to . It is indicated when patient says that he gets numbness or burning sensation in legs or hands, or any part of the body, especially after being in one position for a long time.

Technique: Give brisk ghisai (massage) all around the region of both the femur bones.

Sequence : Ask the patient to lie on his side, as in 'Parkhoo' treatment.

First rub all around the region of the head of the right femur; and then rub all around the head of the left femur bone.

### Multi Heparin treatment

This is a latest treatment is very effective for all types of paralysis, infarcts, clots etc.

I (15) Left Medulla (6) Lt. Swt x 3 treatments

II (4) Para (7) Liv (8) Ch. Only (10) Adr

III F. Heparin → (18) Pan (7) Liv (8) Ch. Only

IV Anti F. Heparin → (2) Pan (7) Liv (8) Ch. Only

VI (½) Ku – 6 secs x 8 treatments \*\*\*

VII P. Heparin → (8) Pan (7) Liv (8) Ch. Only.

\*\*\* Nowadays we are giving (½) Ku – 6 secs x 8 treatments

The highlight of this treatment is that it was first given to Kamalesh Didi, who had severe numbness and heaviness on the left side of the body from left side of head to left arm and leg. The MRI report dt. 20.2.2009 was as follows :

"There are few ischemic foci in both frontal lobe white matter. **A tiny ischemic focus is seen in right parietal cortex.**"

After **one week** of giving the above treatment daily regularly, MRI report dt. 2.3.2009 reads as follows : **"Essentially Normal Study."**

This may perhaps be the **first time** when MRI report has shown such a change within just ONE WEEK of LMNT treatment !

### New use of (1) Para

All therapists are familiar with the use of the point **(1) Para**.

Guruji has now added a new treatment called **(1) Para – 9 secs**, in which pressure is given on the right arm at each point for 9 secs. in place of 6 secs.

**Please note the difference in functions as follows –**

(1) Para – 6 secs - to stimulate lysosomes

Useful for all tumours, fibrosis, fibroids, cysts, prostate gland enlargement, abnormal growth etc.

(1) Para – 9 secs - for Oxytocin – for milk let down in mothers after delivery.

---

1. CNNS " GAS : GAS " 3 Sides X 3 Treatments

2. ½ PARA (6 SEC)

3. (1) PARA (3 SEC) : (2) ADR  
+ ½ KU (6 SEC) X 8 Treatments

---

### • For Metabolic Disorder

CNNS – Gas : Gas (3 sides)

### • Macular degeneration

(1) para 9 sec - Much better

### • SLE

I Vater New Gal

II Acid Trt : (8)pan (3)gal (7) Liv (4) Acid (4) ch. Only (3)Swt X 2 Trt

### • Metabolic treatment

I. (1)pan (1Pt) Gal (1Pt) Liv

II. (1Pt) Gas only (1Pt) Gal (1Pt) Liv

III. (1Pt) Gas I (1Pt) Gal (1Pt) Liv

IV. (1Pt) Liv<sup>0</sup> (1Pt) Gal (1Pt) Liv

V. (1Pt) Mu<sup>0</sup> (1Pt) Gal (1Pt) Liv